#### Printed Pages-3

**EAS101** 

(Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID: 9602 Roll No.

#### B.Tech.

# (SEM. I) ODD SEMESTER THEORY EXAMINATION 2013-14

#### ENGINEERING PHYSICS—I

Time: 2 Hours

Total Marks: 50

**Note**: There are three sections A, B and C in this paper. Questions are to be done from all three sections.

#### SECTION-A

1. Attempt all parts. Give answer of each part in short :-

 $(2 \times 5 = 10)$ 

- (a) Whether Earth is inertial or non-inertial frame of reference? Explain.
- (b) What are coherent sources?
- (c) What do you mean by dispersive power of grating?
- (d) How a circular polarized light can be changed into plane polarized light?
- (e) What do you mean by scattering losses in fiber?

#### SECTION-B

- Attempt any THREE parts. All parts carry equal marks. :— (5×3=15)
  - (a) The mass of a moving electron is eleven times its rest mass. Find its kinetic energy and momentum.

EAS101/DNG-52184

1

[Turn Over

www.uptunotes.com

### | UPTU Notes |

- (b) A parallel beam of light ( $\lambda = 5890 \, \text{A}^{\circ}$ ) strikes a film of oil ( $\mu = 1.46$ ). If the 8th dark ring be seen, when viewed at an angle of 30° to the normal, calculate the thickness of the film.
- (c) In a grating spectrum, which spectral line in 4<sup>th</sup> order will overlap with 3<sup>rd</sup> order line of 5461A°?
- (d) The value of  $\mu_e$  and  $\mu_o$  for quartz are 1.5508 and 1.5418 respectively. Calculate the phase retardation for  $\lambda = 5000 \text{A}^\circ$  when the plate thickness is 0.032 mm.
- (e) Calculate the population ratio of two states in He-Ne laser that produces light of wavelength 6000A° at 300 K.

SECTION—C  $(5\times5=25)$ 

- Note: Attempt all questions of this section. All questions carry equal marks.
- 3. Attempt any ONE part of the following:— 5×1=5
  - (a) What are Galilean transformations? How they failed?
  - (b) Obtain the expression for the addition of the relativistic velocities. Show that velocity of light is invariant.
- 4. Attempt any ONE part of the following: 5×1=5
  - (a) Explain the formation of interference fringes by means of Fresnels' biprism. What happens when a transparent mica sheet is introduced in one of the interfering beams?
  - (b) Explain the intensity distribution due to Fraunhofer diffraction at a single slit.
- 5 Attempt any ONE part of the following:— 5×1=5
  - (a) What do you understand by resolving power? Explain the Rayleigh criterion of resolution.
  - (b) Explain the construction and working of a Nicol prism.

EAS101/DNG-52184

## | UPTU Notes |

- 6. Attempt any ONE part of the following:— 5×1=5
  - (a) Discuss the phenomenon of rotation of the plane polarized light by optically active material.
  - (b) What are Einstein's coefficients A and B? Establish a relation between them.
- 7. Attempt any ONE part of the following:—  $5\times1=5$ 
  - (a) Discuss the different type of pulse dispersion in optical fiber.

(b) What is holography? Explain its properties and applications.

