### Printed Pages-4

**EAS103** 

Following Paper ID and Roll No. to be filled in your Answer Book)

PAPER ID: 9601

Roll No.

#### B. Tech.

## (SEM. I) ODD SEMESTER THEORY **EXAMINATION 2013-14**

#### **MATHEMATICS—I**

Time: 3 Hours

Total Marks: 100

#### SECTION-A

1. Attempt all parts of this question:

 $(10 \times 2 = 20)$ 

- If  $z = u^2 + v^2$  and  $u = at^2$ , v = 2at, then find  $\frac{dz}{dz}$ (a)
- (b) If  $y = x^2e^x$ , then find  $y_n$ .

- (c). If u = lx + my, v = mx ly, then find  $\frac{\partial(x, y)}{\partial(x, y)}$
- (d) Find the stationary points of

$$f(x, y) = 5x^2 + 10y^2 + 12xy - 4x - 6y + 1.$$

Find the rank of the following matrix by reducing into Echelon form:

$$\begin{bmatrix} 3 & 1 & 2 \\ 6 & 2 & 4 \\ 3 & 1 & 2 \end{bmatrix}.$$

Find the eigen values of  $A^2$  where  $A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 3 & 0 \\ 3 & 4 & 5 \end{bmatrix}$ . (f)

## | UPTU Notes |

- (g) Evaluate  $\Gamma(3/4) \cdot \Gamma(1/4)$ .
- (h) Use Dirichlet's integral to evaluate  $\iiint xyz \, dx \, dy \, dz$ , throughout the volume bounded by x = 0, y = 0, z = 0 and x + y + z = 1.
- (i) If  $\vec{r}$  is the position vector of a point, then find Curl  $\vec{r}$ .
- (j) Find the unit normal to the surface  $x^2y + 2xz = 4$  at the point (2, -2, 3).

#### SECTION-B

- 2. Attempt any three parts of the following: (3×10=30)
  - (a) If  $y = e^{a \cos^{-1} x}$ , then find  $y_n$  for x = 0.
  - (b) A rectangular box, open at the top, is to have a volume of32 c.c. Find the dimensions of the box requiring least material for its construction.
  - (c) Find the characteristic roots of the matrix

$$A = \begin{bmatrix} 1 & 1 & 2 \\ 3 & 1 & 1 \\ 2 & 3 & 1 \end{bmatrix}$$
. Verify Cayley-Hamilton theorem for

this matrix and hence find A-1.

(d) Change the order of integration in the following integral and hence evaluate it:

$$\int_{0}^{1} \int_{y^2}^{2-y} xy \, dx \, dy.$$

# | UPTU Notes |

(e) Evaluate 
$$\iint_{S} (y^2 z^2 \hat{i} + z^2 x^2 \hat{j} + z^2 y^2 \hat{k}) \cdot \hat{n} \, dS, \text{ where S is}$$

the part of the sphere  $x^2 + y^2 + z^2 = 1$  above the xy-plane and bounded by the xy-plane.

#### SECTION-C

Attempt any two parts from each question of this section. All questions are compulsory:  $[(2\times5)\times5=50]$ 

- 3. (a) Verify Euler's theorem for  $u = \frac{x(x^4 y^4)}{x^4 + y^4}$ .
  - (b) Find the Taylor's series expansion of  $f(x, y) = x^2y + \sin y + e^x$  about the point  $(1, \pi)$  upto second degree terms.
  - (c) Trace the curve  $y = x(x^2 1)$ .
- 4. (a) If  $x = r \cos \theta$ ,  $y = r \sin \theta$ , then prove that JJ' = 1.
  - (b) Find the maximum percentage error in the time period of a simple pendulum due to possible errors upto 1% in 1 and 2.5% in g.
  - (c) If u = y + z,  $v = x + 2z^2$ ,  $w = x 4yz 2y^2$ , then find  $\frac{\partial (u, v, w)}{\partial (x, y, z)}$ . Are u, v and w functionally related? If so, find the relationship.
- 5. (a) Find the rank of the following matrix by reducing it into Normal form:

$$\mathbf{A} = \begin{bmatrix} -1 & -3 & 3 & -1 \\ 1 & 1 & -1 & 0 \\ 2 & -5 & 2 & -3 \end{bmatrix}.$$

## | UPTU Notes

(b) Show that the following equations are consistent and solve them:

$$x + 2y - z = 3;$$
  
 $3x - y + 2z = 1;$   
 $2x - 2y + 3z = 2;$   
 $x - y + z = -1.$ 

- (c) Find the eigen vectors for the matrix  $A = \begin{bmatrix} 1 & -1 \\ 2 & -1 \end{bmatrix}$ .
- 6. (a) Prove that:

$$\int_{0}^{\pi/2} \frac{dx}{\sqrt{\sin x}} \cdot \int_{0}^{\pi/2} \sqrt{\sin x} \, dx = \pi$$

- (b) Evaluate  $\int_{0}^{\infty} (x^2 + y^2) dxdy by changing into polar coordinates.$
- (c) Determine the area bounded by the curves xy = 2,  $4y = x^2$  and y = 4.
- 7. (a) Find the directional derivative of div(grad f) at the point (1, -2, 1) in the direction of the normal to the surface  $xy^2z = 3x + z^2$ , where  $f = 2x^3y^2z^4$ .
  - (b) Find the work done in moving a particle in the force field:

$$\vec{F} = 3x^2\hat{i} + (2xz - y)\hat{j} + z\hat{k}$$

along the curve  $x^2 = 4y$  and  $3x^3 = 8z$  from x = 0 to x = 2.

(c) Find the constants a, b, c so that:

$$\vec{F} = (x + 2y + az)\hat{i} + (bx - 3y - z)\hat{j} + (4x + cy + 2z)\hat{k}$$
 is irrotational.